

CUSTOMER GUIDANCE SYSTEMS

Systemy prowadzenia klienta

Eingangsanlagen + Kundenführungen

Systèmes de guidage du client

Системы ведения клиента



PORTA'E2



PORTA'C1




TURNSTYLE




TROLLEY PASS

PORTA'E infra




An electronic gate Porta'e Infra is steering by photoelectric cell without lighting. Gate can be available in two options: right or left – opens in right side or left side. The gate opens automatically in the direction of entry as you approach it. The gate closes also automatically. Installed "anti-panic" system prevents from opening a gate in opposite direction. This system allows you to open an emergency gate at the appropriate pressure despite the blockade. Gateway fixed to the ground.

VARIATIONS



PORTA INFRA Dimensions mm

Type




Porta'e

Index:

Porta'e infra 07A004

Finish:

chrome or power coated




Porta'e2

Index:


Porta'e2

Finish:


chrome or power coated




PORTA'E radar



An electronic gate Porta'e RADAR is steering by radar without lighting. Gate can be available in two options: right or left – opens in right side or left side. The gate opens automatically in the direction of entry as you approach it. The gate closes also automatically. Installed "anty-panic" system prevents from opening a gate in opposite direction. This system allows you to open an emergency gate at the appropriate pressure despite the blockade. Gateway attached to the ground.



Double radar system




Single radar system


VARIATIONS




Single system



Tandem system



Double system




Double tandem system

3

PORTA INFRA Dimensions mm


Type



Porta' e

Finish:
chrome or power coated


Index:
Porta' e radar 07A001




Porta' e2

Index:
Porta' e2 radar

Finish:
chrome or power coated




Standard in both systems:
Panic alarm



Optional:
Counting system



Optional: Childlock

MECHANICAL...



4

PORTA M Dimensions mm	Type	Finish	Index No.
--------------------------	------	--------	-----------



Porta'm mechanical entrance gate:


Mechanical entrance gate	chrome	919-320-537
Bar of the entrance gate H-250	chrome	919-320-526
Bar of the entrance gate H-250 with fender	chrome	919-320-526

Porta'm2 mechanical pendulus entrance gate:

Mechanical entrance pendulus gate	chrome	919-320-564
Bar of the entrance gate H-250	chrome	919-320-526


Porta'm mechanical emergency entrance gate Porta'm2:

please call us




PORTA'C1

Checkout barrier with lock





PORTA'C2

Checkout barrier with lock



CLAMP

Checkout barrier with clamp mounted on a traverse tube 40 mm diam.




PORTA C
Dimensions mm

Type

Finish

Index No.



Porta' C1 Checkout barrier low bar H-250:

Checkout barrier	chrome	919-320-538
Bar of the entrance H-250	chrome	919-320-526

Porta' C2 Checkout barrier high bar H-725:


Checkout barrier	chrome	919-320-538
Bar of the entrance H-725	chrome	919-320-519

Checkout barrier:

Checkout barrier without lock	chrome	919-320-557
Checkout barrier with lock	chrome	919-320-594
Checkout barrier high bar without lock	chrome	919-320-596
Checkout barrier high bar with lock	chrome	


Clamp for fixing Checkout barrier:

Clamo for fixing on a traverse tube 40 mm	chrome	919-320-557
---	--------	-------------




ROOM PARTITION

BOX SYSTEM



6




VARIATIONS

PARTITION
Dimensions mm

Elements
Height 2000 mm


Finish

Index No.





Elements of Partition

Wire grate 950 x 950 mm Light	chrome	919-320-438
Plexi board 1020 x 950 mm		Plexi 6 x 950 x 1020 R 15
Stand $\varnothing 48$ H-2000 mm	chrome	919-320-409
Bottom cover for stand made of pipe $\varnothing 48$	chrome	919-320-511
Connecting clamp to stand (tube $\varnothing 48$)	chrome	KLEMMUFA-CR
Board (polycarbonate 926 x 1878 mm) - optional		PL_5,0X926X1878-P



Stable assembly secured by solid steel and plastic sleeves and bolted connections.

In order to engineer the customer guidance system acc. to the design, PRODUS offers prefabricated vertical posts with mounted sleeves. Drawings show the arrangement of sleeves and base plates. Any configurations not shown here is available on request. Standard height with base plate – 1085 mm.





Crossbars:

Length 1000 / 1500 / 2000 / 2500 and 3000 mm

Surface:

High-gloss chrome-plated finish, or coloured powder (upon request)



additional...

pro dus[®]


shop services



KID CAR 2



AVANT P 155



FOLDING STACKING BASKETS KSD



CLASSIC 185



CARRY 110 PK



VARIO 110 S



DISPLAY TABLE
1200 x 600 H-850/650

8

The market needs diversity in products and elements for store furnishing.

We develop, manufacture and sell a wide range of products for retail and wholesale outlets.

Our offer includes almost all the necessary self-service equipment for a shop infrastructure: shopping and transportation trolleys, goods displays and customer guidance systems.

If you are looking for an experienced and reliable partner in the field of self-service store devices: **PRODUS is a suitable alternative.**

Flexible, custom manufacturing capabilities ensure production profitability in high and low inputs, and even individual items. By using our own electroplating devices and coating systems in the RAL colour range, our products retain their functionality and usability for a long time.

We're at your service!



pro dus[®]

shop services

PRODUS SHOP SERVICES Sp. z o.o.

Sękokin Nowy · Al. Krakowska 22

PL 05-090 Raszyn

tel. +48 22 715 54 86

+48 22 715 54 87

fax +48 22 715 54 88

e-Mail: info@produs.com

Web: www.produs.com